

Winterweizen LSV 2017 - Hektolitergewichte

Mittel aus Stufe 3

Anbauregion S-H		Marsch		Östliches Hügelland				Mittel		
Sorte	Qualität	hl-Gewicht kg/hl						2017	2016	2015
		Sönke-Nissen-Koog	Barlt	Loit	Futterkamp	Kastof	Bovenau			
Achim	A	67	-	72	71	65	78	70	-	-
Apostel	A	-	-	75	72	68	78	73	73	-
Julius	A	71	77	74	73	65	80	73	74	78
Kashmir	A	71	75	73	70	65	77	71	-	-
Nordkap	A	73	77	74	71	66	78	73	75	-
RGT Reform	A	73	77	76	72	68	79	74	75	78
Alexander	B	71	75	-	-	-	-	73	69	76
Benchmark	B	66	74	76	69	66	75	71	71	76
Bergamo	(B, EU)	71	76	75	71	68	77	73	73	78
Bosporus	B	71	75	73	71	65	77	72	73	-
Gustav	B	72	77	74	72	66	79	73	74	-
Halvar	B	-	-	-	70	66	76	71	72	-
Johnny	B	70	76	76	71	65	76	72	73	77
Kamerad	B	70	76	73	71	66	77	72	-	-
KWS Maddox	B	75	76	75	72	67	78	74	73	-
KWS Talent	B	72	78	76	73	68	79	74	-	-
LG Imposanto	B	71	75	73	70	66	76	72	-	-
Partner	B	71	73	-	-	-	-	72	71	-
Porthus	B	74	77	76	72	69	79	75	75	-
Rumor	B	71	77	76	72	68	78	74	74	77
Smaragd	(B,EU)	-	-	73	70	64	77	71	73	78
Tobak	B	73	75	72	70	62	76	71	73	76
Anapolis	C	69	74	69	66	62	74	69	71	77
Elixer	C	71	74	74	69	64	76	71	73	77
Lear	C	70	75	-	-	-	-	72	72	76
LG Alpha	C	71	75	75	71	66	76	72	72	-
Manitou	C	-	-	72	71	64	77	71	73	77
Sheriff	C	-	74	70	69	63	77	70	71	-
Mittel		71	75	74	71	66	77	72	73	77

Winterweizen LSV 2017 - Qualität

Mittel aus Stufe 3

Standort		Sönke-Nissen-Koog	Bovenau		
Erntetermin:		10.08.2017		10.08.2017	
Sorte	Qualität	Protein in % TS	Fallzahl in s	Protein in % TS	Fallzahl in s
Achim	A	12,7	269	13,1	241
Apostel	A	-	-	13,1	273
Julius	A	12,1	228	12,8	246
Kashmir	A	12	250	13,3	293
Nordkap	A	12,8	267	12,7	288
RGT Reform	A	12,1	263	12,7	382
Alexander	B	11,5	262	-	-
Benchmark	B	11,6	259	12,4	220
Bergamo	(B, EU)	11,6	115	12,7	66
Bosporus	B	11,8	233	12,6	268
Gustav	B	12,1	235	12,4	196
Halvar	B	-	-	12,3	306
Johnny	B	11,7	186	12,3	169
Kamerad	B	11,6	267	13,4	245
KWS Maddox	B	11,2	290	11,8	338
KWS Talent	B	11,3	320	12,1	290
LG Imposanto	B	11,5	249	12,4	287
Partner	B	12	269	-	-
Porthus	B	11,9	237	12,5	290
Rumor	B	11,6	318	12,4	310
Smaragd	(B,EU)	-	-	12,9	318
Tobak	B	11,7	242	12,4	259
Anapolis	C	12,1	123	14,1	62
Elixer	C	13,1	225	12,6	252
Lear	C	12	143	-	-
LG Alpha	C	11,6	185	12,5	111
Manitou	C	-	-	12,4	256
Sheriff	C	-	-	11,7	258
Mittel		11,9	230	12,7	254

Winterweizen LSV 2017 - DON-Gehalte in µg/kg*

Mittel aus Stufe 3

Sorte	Qualität	Futterkamp	Kastorf	Loit	Einstufung BSA Ährenfusarium
		DON-Gehalte in µg/kg*			
Achim	A	240	760	100	4
Apostel	A	290	240	80	4
Julius	A	360	290	50	5
Kashmir	A	<50	90	<50	5
Nordkap	A	90	290	<50	5
RGT Reform	A	80	<50	<50	4
Benchmark	B	110	<50	<50	5
Bergamo	(B, EU)	100	70	80	4
Bosporus	B	140	170	90	4
Gustav	B	<50	140	<50	4
Halvar	B	60	200	-	4
Johnny	B	100	220	100	4
Kamerad	B	60	200	<50	3
KWS Maddox	B	210	180	110	6
KWS Talent	B	<50	200	90	5
LG Imposanto	B	190	250	<50	3
Porthus	B	120	<50	<50	3
Rumor	B	<50	60	<50	4
Smaragd	(B,EU)	410	480	50	6
Tobak	B	260	690	230	7
Anapolis	C	640	300	240	3
Elixer	C	130	100	<50	4
LG Alpha	C	60	360	<50	4
Manitou	C	90	140	<50	5
Sheriff	C	<50	60	80	4

*Methode: HPLC, LUFA-ITL

Grenzwert Mykotoxingehalt Rohgetreide ex Ernte - DON: 1.250 µg/kg